REASONER'S TROPICAL NURSERIES, INC. 2433 6th Ave. Bradenton, Fla.

CROTONS

Because of their highly colored foliage and great variety of leaf form, Crotons are perhaps the most interesting group of tropical foliage plants They are, therefore, of real value to all those concerned with home beautification in South Florida, as also to those interested in unusual house plants and conservatory specimens in colder sections. Aside from Mealy Bug, which can easily controlled by applications of Fish Oil Soap in which "Black Leaf 40" may be added for greater effectivenessm Crotons have few natural enemies and given a fair amount of light and an adequate amount of water and fertilizer make beautiful specimens in a very short length of time.

The question of nomenclature has always been very puzzling, since t colors vary greatly according to the condition of the plant, amount of light, fertilizer, etc. We have, however, spent considerable time and trouble in checking up with other growers, both on the Florida East Coast and in the North and we believe that the varieties on this list will be found in accord with general practise at this time.

There are at the present time well over two hundred varieties of th valuable subject being grown in Florida, most of which will be found listed and described in the following pages. Many of these are new and rare, and propagating material is extremely limited. Some, also for various reasons are more difficult to grow than others. We have, therefore, divided our list into several different groups and priced them accordingly.

Those interested in a large collection of varieties should ask for our additional lists covering discarded varieties, and specializes and novelties not yet in commerce.

SUGGESTIONS FOR THE USE OF CROTONS

The idea that Crotons cannot be used for landscape planting, often advanced by the northern landscape architicat is entirely erroneous, and born of their unfamiliarity both with our tropical conditions, atmosphere, and materials. Propperly used, Crotons are one of the most important group to aid in creating that brilliance of color which is one of the essentials of what has come to be known as tropical atmosphere. Some notes, however on their use will aid in their effectiveness.

As Crotons are among the highest colored plants known, their use must be limited to those situations where a mass of color would be ded sirable in the design. No beautification scheme can be made up entirely of Crotons. The best use of Crotons is in beds, or as specimen plants at definite points, particularly in formal planting, or as grouped of color against a darker bakkground. Properly placed they may be used as hedges or as edgings around beds in formal gardens. Skillfully used they may be used to great advantage in foundation plantings.

In group plantings it should always be remembered that different varieties have a different rate and character of growth. Dwarfer growing arieties such as De Icatissima, Sunburst, Weismanni, Rubrum Compactum, etc should be used to cever the trunks of the taller growing varieties, and this prevent that "leggy" effect with no foliage at the bottom, which is the commonest defect in most Croton plantings. In group plantings of mixed varieties care should be taken to secure a contrast not only of colors but of different sizes and shapes of leaves. The black leaved froms should be used more frequently to secure additional contrast between red and vellow.

	이 사람들이 가지 않는데 가지 되었다. 그런데 가지 않는데 가지 있다. 되었다. 그런데 가지 않는데 가지 있다. 되었다. 그런데 가지 없는데 가지 없었다. 그런데 가지 없었다. 그	GROUP 1. COMMO	N VARIETIES	
	Medium size, La rge size, Tub plants	gal cans	Each 10 .15 1.25 .25 2.00 .50 4.00 1.50 and up	100 10.00 15.00 35.00
**	ACUBAEFOLIUMLarge gree ANDREANUM(Canned Sunsh AUREO-MACULATUMSmall r C. I. CRAGINLong, brig CORNUTUMShort narrow DELIGATISSIMA*- Golden DISRAELIOak leaf form	nyrtle shaped, gr ght greenleaf, wh leaf, veined and	een leaves, spot ite zone along margined clear yours form of Pict	ted yellow. idrib. ellow uratum with curly leav
オルカー しん カルル	DORMANNIANUM Small, cur EDWIN T. MEREDITH Long ETHEL CRAIGMedium size EXCURRENS- Thick, stray FACATUMBroad leaf, grage GENERAL LAWRENCEExqui ILLUSTRISOdd, three l INTERUPTUMLike Pictur IRREGULARISIrregular JOHANNISLong, narrow KATONIMaculatum Katon LONG IEAF YELLOWLong, IYRATUMLong, narrow MORTIIA tall growing MRS. FRED SANDERLarge NESTORBroad leaf, sim NOBILIS -Small, lanceol PHILIADELPHIA-Rather sm PICTURATUMLong, narrow PRINCE OF WALESLong, PUNCTATUMSmall, fine, QUEEN VICTORIALarge, REXLong narrow leaves RUERUM COMPACTUMNo. 1 Red and gra	rved leaves, dark g, narrow leaves, ed leaves, blotch p-shaped leaves; een and yellow, r sito Ft. Myers A obed leaves, greer atum, but some I shaped leaves, brileaves; center and i. Green leaves, narrow, dark greer, very long, day variety, with leaves, toak leaf, center all, brilliant yeals, brilliant yeals, yellow odd shaped, irregall, brilliant yeals, somewhat spiral a. A very dwarf, een coloration. Strecurved leaves.	red and bronze- brilliantly col- ded with yellow a dark red and bronze- to red; very show broad leaved, bronzed and yellow; mid eaves divided in coader at the point and red the point artly tri-lobed een leaf, blotche green and bright ark green, spotte and lobes splot bright red and yellow, turni ellow leaves of comidrib; bright re gular leaves; green leaves, veined and leaves,	green. ored yellow. nd pink. nze-green, red midrib y illiant yellow variet; drib protruding. to two or more parts. nt, spotted yellor &r yellow. ; spotted creamy whi d golden yellow yellow, never red d red and yellow yellow, never red d red and yellow spotted brilliant yellow spotted yellow and re ng dark red with age. ed with age. en and pale yellow. d with yellow. and mottled red. ant red with age. of the narrow leaved t atum. Names in 1937. llow and green.
* 47	SPIRALEA small, dark SPIENDENSSemi-oak les STEWARTIIYellow veins	green and bronze of form, mottled and margin, mid crow, linear leaverled and twisted frow leaves. almo	yellow, turning a rib & patiole rec es, brilliant yel . Anold Croton a st hair like-gree	red in the sum. d. The most cold resis llow never turning rec named in 1937. en and yellow.

L. TORTILIS -- Red corkscrew narrow, spiral leaves; a brilliant dark red. VEITCHII--Large, long leaves veined and mottled yellow, flushing pink.

WEISMANNI--Narrow leaves, veined brilliant yellow; dwarf compact grower.

YELLOW EXCURRENS --A form of Excurrens, brilliant, blothhed and marked with /-

yellow.

GROUP II STANDARD BETTER VARIETIES

	,				
	PRICES:		Each	10	100 15.00
	50	Small size $2\frac{1}{2}$ and 3" pots	.25	2.00 4.00	35.00
		Medium size 4" pots	.50	9.00	85.00
		Large sixe, gal cans	1.00 2.50 and 1		83.00
		Tub plants	2.50 and t	λÞ	/
-#	A T D T A A N &	A sport from Veitchii, with	white or lis	rht cream v	rariegations.
A T	BY BUNEAS	ROTHSCHILD Large, broad, de	rk red leaf.	strongly n	marked with cream.
×	BEATITY OF	F WYNMEREMottled cream and	nink leaves.	vivid carr	ine reverse.
	TO TELEVISION	TITCCTMIA Tong noth on nemow	WYST DATES	hrilliant.	orange and red.
4	RAPHERTNI	E GEPHARTShort leaved corks	crew. mottle	d green and	f Aetrom.
X	CHRISTIAN	NA(Christian) "ather tong r	arrow leaves	o uniter and	cought, vermen and
		mottled yellow and orang	e. Stands wi	nd and colo	well.
1	CHRYSOPH	YLIAMedium long leaves, cer	ter and petic	oles brilli	ant yellow.
	COMPUE DI	F GERMANYLong. dark green	eaves. mottle	ed orange,	red and yellow.
٨-	CRAIG SU	PREMELarge, oak leaf type,	veined and b	Lotched bri	gnt yellow.
	C. VAN1	Dark greem leaf, veined & mot	tled dark re	d; under si	riace solid dark re
キムー	DAYSPRING	GVery long, brilliant leave	s, surrused	red, Aetron	stan commina-mosa
年	DELIA MAG	GEE (Coppinger) Large, recur profusely spotted redd:	sh orence	v regre of .	esf dark red.
	TARTIC C	profusery spotted redd.	er besitation its.	d. reverse	chocolate brown.
A	EARL'S CO	OURTLarge, crumpled leaf, PAGETImmense green & yellov	leaves: the	largest le	eaved Croton we know
4	TOHANNA (COPPINGER Medium long leaves	s spotted br	illiant red	and yellow.
			an ammandime	מאר שמים המים	ellow; no red.
1	TADY CTA	TRE A vellow sport of the	ortilis v ari	ety.	
(LINEARIS	Very narrow thread-like less EMedium sized leaves veined AUTYVery large, dark oak le	ves, sport f	rom Irregu	laris.
. 7	LORD HOP	EMedium sized leaves veined	l light yello	w, deeping	to orange@crimson.
R.	MIAMI BE	AUTYVery large, dark oak l	ear, purplish	green pro	usely spotted red.
T	MORTIMER	Narrow leaf, very brilliant	ty spotted r	ed, Aerrow	and cream.
	MRS. DUN	CAN MACAWSemi-oak leaf type NKLIN D. ROOSEVELT(Copping	orange-red	im-narrow	foliage, heavily
+	MRS, FRA	spotted yellow, changing v	with age to d	ark red. si	otted carmine.
	TATTE A TOTTE	Long, narrow crinkled leaf	profusely v	eined and	spotted yellow shadi
122	MOBATOOD	BEAUTYA brilliant oak leaf	type, shaded	red and ye	ellow.
	ORVITA-	-Medium sized leaves, oddly	ounded at en	d. Veined	and blotched yellow.
F	POPTERIS	PINK VETTCHIIMore cream as	nd pink than	the type. '	Very good.
7	REEDII	Very large leaf, heavily vein	ned. Under be	st condition	ons shows almost all
		creamy-pink with darke:	veins.	had 114 and	l = o o l o mongo = ma
*	REGINA	(no.3) (Radena) Long medium	sized leaves,	denk ned	ry corored orange-re
	ROBERT C	RAIGMedium large leaf; a von AVALOTSMedium sixed leaved	ry prilitation	notted cle	ar vellow.
8	ROBERT L	CIUSDark leaves, spotted as	nd suffused W	ith cream	and carmine-rose.
*	MODEO LI	'S NARROW LEAVED VEITCHII-Mu	h narrower 1	eaves than	type and strongerpi
*	SIMBIBST	Profusely mottled orange-c	rimson with m	idrib oran	ge-yellow.
	STRAGGIE	ISTMA(vellow corkscrew) Long	r. spiral, gr	een and ye	llowleaves.
7	TORTILIS	MAJOR Large leaved form of	the corkscre	w type. Da:	rk green and red.
	VAN HOUT	TIIRed and yellow leaves of	semi-oak lea	f type, be	coming dark red with
	VIRGINIA	-A blotched form of W. W. Co	les. and more	highly co	lored yellow & orang
t	-WOLTHITIM-	-(Ram's Horn)Short leaves. v	erv much re-c	urved, vei:	ns & midrib yellow.
•	W. W. CO	LESSemi-oak leaf type, mot	tled and vein	ed brillia	nt orange-yellow.
4()	4 - 3 - 7 - 7		1	

PRICES:

GROUP III FANCY SORTS

Small size 21 and 3 pots Medium size, 4 pots Large. gal cans Tub plants	EACH 10 100 .50 4.00 35.00 1.00 9.00 85.00 1.50 12.50 2.60 and up	
Tub plants	2.60 and up	1

*L-AMABILE-Rooster's Tail. Oldly curved leaves, variegated pink, cream and red. ARTHUR BRISBANE-(Fascell) Medium Long dark green leaf, red veins, suffused pin BARON DE COMPTE -- Very dark medium broad leaves, brilliantly blotched orange-red BLOTCHED WOOTON BEAUTY-Large blotches of yellow, flushing pinkish orange. CARDINAL--Long narrow curved leaves of a brilliant cardinal red CHARMER-Long, broad leaf, marbled orange, pink and cream, carmine midrib & vein COMPTE DE CASTILIAINE-Midrib and center rich pinkish-crimson. DAYBREAK -- (Jacobs) Dayspring sport with large brilliant blotches at base of leav EBURNEUM -Broad, peculiarly shaped leaf, marbled and blotched with white &cream. EDNA -- Small dark spatulate leaf, veined and splashed orange-red. ELAINE -- Semi-oak leaf type, very brilliant in shades of pink, cream and yellow. FAYE MILLER - (Miller) Dark recurved leaf like Philip Geduldig, but parrow and , more pointed, more profusely spotted with larger orange -crimson spots. GOLDEN GLOW -- (Coppinger) Sister seedling to Johanna Coppinger and Mrs. Roosevelt and coloration intermediate between them. GOLDEN GREEN -- (Fascell) large, broad leaf, heavily blotched golden yellow. LEOPARDIA-(Fascell) Medium sized green leaf heavily spotted with yellow and rose LILIAN STOFFREGEN-Medium sized green leaf, strongly veined yellow. LORD BEHAVEN-(Coppinger) Very large long leaf, veined deep yellow & orange-red MAJOR DADE -- (Coppinger) Large leaf, suffused & blotched brilliant orange-yellow IIKE FASCELL-(Fascell) tong dark leaf with prominent carmine midrib and veins. MME ERNESTINE DELARUYE-Semi-oak leaves, colored copper, crimson and orange.

MME FERDINAND KOHL--Immense oak leaves, veined & mottled yellow, pink & orange MONS. FLORIN -- Large broad leaf, light yellow, always well colored. MRS. ICETON -- Rather small leaves of deep rose, margined with olive green. Veryfi MRS. WN. F. DREER -- Long, medium narrow leaves of a rich crimson red, very showy. NOBILISSIMA-(Reasoner) A sport from Nobilis. Small leaves with bright yellow center, shading to bright crimson with age.

PAUL WEBER-Long rather large leaf, veined and splotched pink and orange.

PHILIP GEDULDIG-Semi-oak leaves, profusely spotted light red on dark maroon-gre
PIERRE CHEVOIN-Dark background vained & marbled intense scarlet.

PITCAIRN-Broad, rather recurved leaf, green, veined with red; center irregularl

blotched with orange shading to red.

RAPHAEL--(Christian Shade loving variety. Semi-oak leaved, green and cream on ne growth, aging to dark green, suffused cream and lavender rose.

ROSE CHARMER--A sport from Charmer but shorter leaf, suffused rose and cream TAPESTRY--(Christian) long narrow, slightly lobed leaves. New Growth intermingle

green and yellow, veined red, becomming dark green and lovely rose.

THOMAS ROLAND -- Large reddish-black leaved veined in flaming scarlet.

VICTOR LEMOINE -- Dark undulate leaves, veined and clotched with dark red and oran S slow grower but very brilliant.

WILLIE STOFFREGEN--Large dark leaves veined in yellowish orange.

WM. JENNINGS BRYAN--(Fascell (Stewartii seedling, semi-oak leaf of orange & yell WOOTON BEAUTY--Reddish-orange midrib and veins; heavily marbled yellow & orange YULETIDE--Small dark semi-oak leaves, veined and marbled scarlet and orange.

Figge Anderson